# **Diamond**<sup>®</sup> Horseshoes, Nails & Farrier Tools

The **Diamond** Calk Company founded in **1908** by blacksmith manufacturing horseshoes by hand, company that started to mass produce Later **horseshoe nails** were added, of Duluth, Minnesota, USA was Otto Swanstrom. Initially only Diamond was the first American both horseshoes and farrier tools. resulting in a one-stop brand for farriers.

Diamond's heritage ensures a bright and shiny future

#### **Diamond**<sup>®</sup> Horseshoes, Nails & Farrier Tools

Diamond<sup>®</sup> was founded in 1908 in Duluth, Minnesota, USA by blacksmith Otto Swanstrom. The company was unique because it not only mass produced innovative patented horseshoes but also a range of specialized farrier tools. Later Diamond<sup>®</sup> horseshoe nails were added, resulting in a one-stop brand for farriers.

Since 1908 horse owners and suppliers have depended on the Diamond<sup>®</sup> brand for high quality farrier products Diamond<sup>®</sup> is a subdivision of the Royal Kerckhaert Horseshoe Factory, the largest independent horseshoe manufacturer in the world. As a family owned company since 1906, Kerckhaert shares Diamond's heritage and experience. The Diamond® product line blends very well with the leading European designs and Kerckhaert's vision and expertise have brought new and exiting options to

Diamond<sup>®</sup>. All distribution and promotion in North America and Canada is done through Farrier Product Distribution Inc.

#### About The Royal Kerckhaert Horseshoe Factory

The Royal Kerckhaert Horseshoe Factory is the World's largest independent horseshoe manufacturer with a global distribution network and specialized dealers in 77 countries. The Royal Kerckhaert Horseshoe Factory is market leader in their field and dedicated to excellence and innovation in the farrier industry. Kerckhaert has introduced more good options for the horse, farrier, trainer and rider than any other manufacturer on the market. In 2008 Kerckhaert received the Dutch Predicate 'Royal' as proof of appreciation, recognition and commitment of more than 100 years.

Please read more at www.kerckhaert.com

| Contents        | Page No. |
|-----------------|----------|
| Classic Shoes   | 2        |
| Bronco Shoes    | 3        |
| Special Shoes   | 4        |
| Horseshoe Nails | 5        |
| Hoof Nippers    | 5        |
| Nail Nipper     | 6        |
| Shoe Puller     | 6        |
| Nail Puller     | 6        |
| Farrier Tong    | 6        |
| Horse Rasps     | 7        |
| Pritchel        | 7        |

#### **Table of Contents**

| Contents                  | Page No. |
|---------------------------|----------|
| Clinch Cutter             | 7        |
| Clinch Block              | 7        |
| Hoof Knives               | 8        |
| Clinchers                 | 8        |
| Specialty Hammers         | 8        |
| Fence Tool                | 9        |
| Farrier Tool Assortment   | 9        |
| Miscellaneous Information | 10       |

## **Classic Shoes**

- Nail hole pattern allows more accurate nail placement
- · Wide web for increased bearing surface and hoof wall support
- Full 1/8" wide crease permits deep seating of nail head in counter sink without hang-up on crease walls
- · Increased inside shoe taper provides added relief from snow and clay build-up
- Precision spaced and punched nail holes
- Lightweight for reduced fatigue
- 10° crease draft gives more control over slant when following draft of foot and hoof
- Longer creases for improved traction

## **Classic Plain**



| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| DC000B           | 037103237132 | 4 13/32            | 4                 | 6.7                        | 20               | 17                   |
| DC00B            | 037103237149 | 4 23/32            | 4 9/32            | 7.7                        | 20               | 20                   |
| DCOB             | 037103237156 | 4 15/16            | 4 5/8             | 8.7                        | 20               | 22                   |
| DC1B             | 037103237163 | 5 9/32             | 4 13/16           | 10.0                       | 20               | 24                   |
| DC2B             | 037103237170 | 5 5/8              | 5 1/8             | 11.1                       | 10               | 14                   |
|                  |              |                    |                   |                            |                  |                      |

<sup>1</sup>/8" CREASE

WIDER WEB

10° DRAFT

DC000B

#### **Classic Heeled**



| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| DCOOOHB          | 037103237187 | 4 13/32            | 4                 | 6.9                        | 20               | 18                   |
| DCOOHB           | 037103237194 | 4 23/32            | 4 9/32            | 8.0                        | 20               | 20                   |
| DCOHB            | 037103237200 | 4 15/16            | 4 5/8             | 9.1                        | 20               | 24                   |
| DC1HB            | 037103237217 | 5 9/32             | 4 13/16           | 10.5                       | 10               | 13                   |
| DC2HB            | 037103237224 | 5 5/8              | 5 1/8             | 11.8                       | 10               | 16                   |

#### **CLASSIC HORSESHOES**

INCREASED

INSIDE TAPER

#### **Bronco Shoes**

- Choice of three popular, ready-to-nail patterns
- Diamond heel and toe calks are forged—not welded
- Perfectly balanced and accurately shaped to fit average horse's foot without alteration
- Nail hole pattern allows more accurate nail placement
- Correctly tapered nail holes are precision punched and spaced
- Designed to fit both front and hind feet
- Inside taper reduces snow and clay build-up on bottom of horse's foot

#### **Bronco Plain**

| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| <b>000PLAINB</b> | 037103237262 | 4 13/32            | 3 5/8             | 7.1                        | 20               | 18                   |
| OOPLAINB         | 037103237279 | 4 23/32            | 4 9/32            | 8.7                        | 20               | 22                   |
| OPLAINB          | 037103237286 | 4 15/16            | 4 5/8             | 9.5                        | 20               | 24                   |
| 1PLAINB          | 037103237293 | 5 9/32             | 4 13/16           | 11.1                       | 10               | 14                   |
| 2PLAINB          | 037103237309 | 5 5/8              | 5 1/8             | 13.3                       | 10               | 17                   |

| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| <b>OOTHB</b>     | 037103237378 | 4 23/32            | 4 9/32            | 9.5                        | 20               | 24                   |
| OTHB             | 037103237385 | 4 15/16            | 4 5/8             | 10.5                       | 20               | 26                   |
| 1THB             | 037103237392 | 5 9/32             | 4 13/16           | 12.5                       | 10               | 16                   |
| 2THB             | 037103237408 | 5 5/8              | 5 1/8             | 15.4                       | 10               | 19                   |



#### **Bronco Toed and Heeled**



#### SPECIAL HORSESHOES

## **Special Shoes**

Roundershape than Diamond Classic shoes to give "fuller fit"

- Wider web provides more hoof wall support and protection to hoof
- Cleaner nail holes and smoother bearing surfaces for easier shoeing

#### **Special Plain**



| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| DS000B           | 037103237460 | 4 7/16             | 4 1/16            | 7.4                        | 20               | 18                   |
| DS00B            | 037103237477 | 4 3/4              | 4 3/8             | 8.3                        | 20               | 21                   |
| DSOB             | 037103237484 | 5                  | 4 11/16           | 9.1                        | 20               | 24                   |
| DS1B             | 037103237491 | 5 9/32             | 4 15/16           | 10.5                       | 10               | 14                   |
| DS2B             | 037103237507 | 5 5/8              | 5 3/16            | 12.5                       | 10               | 16                   |
| DS4B             | 037103237514 | 6 5/8              | 6 1/16            | 18.2                       | 10               | 23                   |
| DS5B             | 037103237521 | 7 1/4              | 6 1/2             | 22.2                       | 10               | 28                   |
|                  |              |                    |                   |                            |                  |                      |

· Precision hole pattern allows accurate nail placement

· Easily worked cold to fit either front or hind hooves

Increased inside taper provides additional relief from snow

#### **Hind Plain**



#### Designed to fit the majority of hind feet with little or no modification

- Nail holes right where they need to be
- Beveled for sole relief

and clay build-up

 Clipped heels to minimize buildup, but still offer maximum support

| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| OOHINDB          | 037103237439 | 4 3/4              | 4 3/8             | 8.5                        | 20               | 20                   |
| OHINDB           | 037103237446 | 5 1/8              | 4 3/4             | 9.5                        | 20               | 24                   |
| 1HINDB           | 037103237453 | 5 3/8              | 4 7/8             | 10.5                       | 10               | 14                   |

#### **Pony Plain**



OPONYB

- Forged from special steel (like the regular horseshoe) to give long wear
- · Six properly spaced nail holes fit the average pony hoof

| Size/Cat.<br>No. | UPC<br>No.   | Length<br>(Inches) | Width<br>(Inches) | Approx. Wgt.<br>Each (oz.) | Pairs<br>Per Box | Box Weight<br>(Lbs.) |
|------------------|--------------|--------------------|-------------------|----------------------------|------------------|----------------------|
| OPONYB           | 037103237576 | 3 3/4              | 3 5/16            | 5.0                        | 40               | 24                   |
| 1PONYB           | 037103237583 | 4 1/16             | 3 7/16            | 5.3                        | 40               | 26                   |

NOTE: For No. 2 Pony shoe, use Diamond<sup>®</sup> Cat. No. 000PLAIN Bronco horseshoe.

#### HORSESHOE NAILS & FARRIER TOOLS

- Manufactured from the highest quality steel with a closely controlled rolling process that produces precision nails with a high tensile strength
- Uniformly tempered to provide optimum elasticity while
   preserving material strength for consistent and easy driving
- Slim, sleek shank drives easier and safer
- Sharp beveled points for easy hoof wall exit
- Proper stiffness for straight accurate driving without bending, while clinching easily after wall exit for firm holding
- Nails are packaged in an attractive, durable plastic container with a replaceable sliding lid for easy and secure storage

## highest quality steel with a closely



| Catalog<br>Number | UPC<br>Number | Size &<br>Description  | Nails<br>Per<br>Box | Boxes<br>Per<br>Case | Nails<br>Per<br>Pound | Pounds<br>Per Case<br>(Approx) |  |
|-------------------|---------------|------------------------|---------------------|----------------------|-----------------------|--------------------------------|--|
| D412CH1           | 037103228352  | 4 1/2 City Head Nail   | 100                 | 24                   | 204                   | 16.0                           |  |
| D412RACE1         | 037103228383  | 4 1/2 Race Head Nail   | 100                 | 24                   | 217                   | 16.0                           |  |
| D5CC2             | 037103228376  | 5 City Combo Head Nail | 250                 | 12                   | 161                   | 21.0                           |  |
| D5CH1             | 037103228291  | 5 City Head Nail       | 100                 | 24                   | 172                   | 18.0                           |  |
| D5CH2             | 037103228307  | 5 City Head Nail       | 250                 | 12                   | 172                   | 21.0                           |  |
| D5CS1             | 037103228321  | 5 City Slim Head Nail  | 100                 | 24                   | 179                   | 18.0                           |  |
| D5CS2             | 037103228314  | 5 City Slim Head Nail  | 250                 | 12                   | 179                   | 20.0                           |  |
| D5RH1             | 037103228369  | 5 Regular Head Nail    | 100                 | 24                   | 133                   | 19.0                           |  |
| D6CH1             | 037103228338  | 6 City Head Nail       | 100                 | 24                   | 128                   | 21.0                           |  |
| D6RH1             | 037103228390  | 6 Regular Head Nail    | 100                 | 24                   | 101                   | 24.0                           |  |

- Professional quality
- Precision manufactured from special alloy steel with button rivet

| Cat.<br>No. | UPC<br>No.   | Size<br>(Inches) | Packed<br>Per Box | Weight<br>Each |
|-------------|--------------|------------------|-------------------|----------------|
| FN12        | 043127101717 | 12               | 1                 | 1 lb. 6 oz.    |
| FN15        | 043127101731 | 15               | 1                 | 1 lb. 12 oz.   |

#### **Diamond® Hoof Nippers**



#### **Diamond**<sup>®</sup> Economy Hoof Nipper

- Economy model
- Forged from high quality steel with heat-treated jaws and handles
- Sharp cutting edges are hardened, honed and flush ground
- Chrome plated with polished head and plastic coated handles

| Cat. | UPC          | Size     | Packed  | Weight |
|------|--------------|----------|---------|--------|
| No.  | No.          | (Inches) | Per Box | Each   |
| 14DN | 037103213747 | 14       | 1       | 2 lbs. |



#### Diamond<sup>®</sup> Nail Nipper



- · Improved beveled cutting angle provides more strength
- 10" handle for increased leverage
- · Developed specifically for cutting horseshoe nails
- Full polished head with wide throat clearance engineered to allow close cutting

| Cat. | UPC          | Size     | Packed  | Weight |
|------|--------------|----------|---------|--------|
| No.  | No.          | (Inches) | Per Box | Each   |
| N10  | 043127101755 | 10       | 1       | 8 oz.  |

#### **Diamond® Combination Shoe Puller / Spreader**



#### **Diamond<sup>®</sup> Crease Nail Puller**



- Has exclusive pattern with sharp teeth on outside edges for ease in spreading most shoe sizes and styles
- Can also be used for cutting nails
- Round knobs on handle ends make selection easy
- Button rivet construction

| Cat.  | UPC          | Size     | Packed  | Weight      |
|-------|--------------|----------|---------|-------------|
| No.   | No.          | (Inches) | Per Box | Each        |
| SP12D | 043127066993 | 12       | 1       | 1 lb. 8 oz. |

- For removal of nails from crease of shoes that have been on horse for some time
- An essential tool for removal of misdriven nails from new shoes
- Precision forged from high quality tool steel for long life
- Button rivet construction with polished head

| Cat. | UPC          | Size     | Packed  | Weight |  |
|------|--------------|----------|---------|--------|--|
| No.  | No.          | (Inches) | Per Box | Each   |  |
| NP12 | 043127101816 | 12       | 1       | 1 lb.  |  |

## Diamond<sup>®</sup> Farrier Tong

FT15

- Manufactured from special low carbon steel for lasting strength
- Will not become brittle when quenched in water
- Ideal for handling average size shoes

| Cat. | UPC          | Size     | Packed  | Weight |
|------|--------------|----------|---------|--------|
| No.  | No.          | (Inches) | Per Box | Each   |
| FT15 | 043127101793 | 15       | 5       | 1 lb.  |

## Diamond®

**Diamond**<sup>®</sup> Horse Rasps

#### FARRIER TOOLS

- Superior performance in both wet and dry conditions
- Resists clogging due to the angled tooth face
- Rasp teeth on one side, file teeth on other side, single cut on edges
- Rasp side allows for agressive, but controlled hoof removal
- · File side produces a consistant smooth finish
- Outlaw Rasp is less aggressive, but extremely durable for long life.

| Cat.<br>No. | UPC<br>No.   | Description           | Packed<br>Per Box |
|-------------|--------------|-----------------------|-------------------|
| HR15        | 037103206343 | 14" Outlaw Horse Rasp | 6                 |
| HR14N       | 037103219510 | 14" Horse Rasp/File   | 6                 |

• Manufactured from high quality <sup>5</sup>/<sub>8</sub>" tool steel

- Clears shoe nail holes
- New flat design


| Cat. | UPC          | Size     | Packed  | Weight |
|------|--------------|----------|---------|--------|
| No.  | No.          | (Inches) | Per Box | Each   |
| P12D | 043127102172 | 12       | 12      | 14 oz. |

- High quality steel forging
- Beveled on outside edge only. Flush inside edge allows close cutting
- An all purpose tool with one end designed for cutting and the other for pritchel

| Cat. | UPC          | Length   | Width    | Packed  | Weight |
|------|--------------|----------|----------|---------|--------|
| No.  | No.          | (Inches) | (Inches) | Per Box | Each   |
| C7   | 043127102042 | 6        | 2 3/4    | 6       | 12 oz. |

#### · Solid steel for clinching and seating nails

| Cat. | UPC          | Size     | Packed  | Weight       |
|------|--------------|----------|---------|--------------|
| No.  | No.          | (Inches) | Per Box | Each         |
| CB4  | 043127102080 | 4        | 6       | 10 lb. 6 oz. |



HR14N

#### **Diamond**<sup>®</sup> **Pritchel**



## **Diamond**<sup>®</sup> **Clinch Cutter**



## **Diamond<sup>®</sup> Clinch Block**



CB4

## **Diamond**<sup>®</sup> Hoof Knives



- High quality steel blades
- Two blade widths-# 271 is narrow; # 280 is wide
- · Choice of right or left hand blades. (Specify when ordering)

| Cat.<br>No. | UPC<br>No.   | Size<br>(Inches) | Packed<br>Per Box | Weight<br>Each |
|-------------|--------------|------------------|-------------------|----------------|
| 271R        | 043127102097 | 8                | 6                 | 3 oz.          |
| 271L        | 043127102103 | 8                | 6                 | 3 oz.          |
| 280R        | 043127102110 | 8                | 6                 | 3.5 oz.        |
| 280L        | 043127102127 | 8                | 6                 | 3.5 oz.        |

Note: Suffix "R" indicates right hand blade and "L" left hand.

## Diamond<sup>®</sup> Clinchers



## Diamond<sup>®</sup> Specialty Hammers



FH10

- Four models forged from high quality steel with button rivet
- Farrier Clincher (FC12)-designed to roll over high and low nails. Downward push with rolling action clinches nail NOTE: Tool should not be squeezed when clinching nail
- Saddle Horse Clincher (HC12)-for use on larger nails in saddle horse hoofs
- Gooseneck Clincher (PC12)-turns heads of smaller nails when shoeing ponies and race horses

| Cat.<br>No. | UPC<br>No.   | Size<br>(Inches) | Packed<br>Per Box | Weight<br>Each |
|-------------|--------------|------------------|-------------------|----------------|
| FC12        | 043127101823 | 12               | 1                 | 1 lb.          |
| HC12        | 043127101830 | 12               | 1                 | 1 lb. 1 oz.    |
| PC12        | 043127101847 | 12               | 1                 | 1 lb. 2 oz.    |

#### **Rounding Hammers**

- · Perfectly balanced; one round, crowned face, one flat
- Faces beveled to reduce possibility of chipping
- · Hardwood handles

#### **Driving Hammers**

- Forged from high quality steel
- The most useful farrier hammer available
- · Hardwood handles

| Cat.<br>No. | UPC<br>No.  | Description                     | Packed<br>Per Box |
|-------------|-------------|---------------------------------|-------------------|
| 60          | 04312710186 | 1 24 oz. Rounding Hammer        | 4                 |
| 61B         | 04312710189 | 2 36 oz. Rounding Hammer        | 4                 |
| FH10        | 04312710187 | 8 10 oz. Race Track Driving Ham | mer 6             |
| FH14        | 04312706695 | 5 14 oz. Farrier Driving Hammer | 6                 |

## Diamond®

#### FARRIER TOOLS

- For wood and steel posts on ranch or farm
- Heavy-duty lockjoint construction with oval faced jawsStarting and pulling point on one jaw with corrugated
- hammer head on the other
- Front pulls staples, lifts lugs, and splices wireswire stretcher located behind joint
- Handles green plastic coated

| Cat.  | UPC          | Size     | Packed  | Weight      |
|-------|--------------|----------|---------|-------------|
| No.   | No.          | (Inches) | Per Box | Each        |
| DFT10 | 037103197351 | 10-5/8   | 10      | 1 lb. 8 oz. |



**Diamond**<sup>®</sup> Fence Tool

#### **Diamond<sup>®</sup> Farrier Tools Assortment**

- Most popular farrier tools
- Unique vinyl backing with product outlines

| DF3A         037103178756 Farrier Tools Display Assortment           DF3B         037103178749 Display Board Only - No Tools           Contents:         14DN         037103213747 14" Hoof Nippers           271L         043127102103 8" Narrow Hoof Knife, Left Hand         280L         043127102127 8" Wide Hoof Knife, Left Hand           280L         043127102103 8" Narrow Hoof Knife, Right Hand         C7         043127102103 8" Narrow Hoof Knife, Right Hand           C7         043127102042 6" Clinch Cutter         FH10         043127101878 10 oz. Race Track Driving Hammer           FH14         043127101731 15" Farrier Driving Hammer         FH14         043127101731 15" Farrier Nippers           HC12         043127101830 12" Clincher         HR14N         037103219510 14" Horse Rasp/File | ed<br>ox |
|--|----------|
| Contents:           14DN         037103213747         14" Hoof Nippers           271L         043127102103         8" Narrow Hoof Knife, Left Hand           280L         043127102127         8" Wide Hoof Knife, Left Hand           271R         043127102103         8" Narrow Hoof Knife, Right Hand           C7         043127102042         6" Clinch Cutter           FH10         043127101878         10 oz. Race Track Driving Hammer           FH14         043127101731         15" Farrier Driving Hammer           FN15         043127101830         12" Clincher           HR14N         037103219510         14" Horse Rasp/File   | 1        |
| 14DN         037103213747         14" Hoof Nippers           271L         043127102103         8" Narrow Hoof Knife, Left Hand           280L         043127102127         8" Wide Hoof Knife, Left Hand           271R         043127102103         8" Narrow Hoof Knife, Right Hand           C7         043127102042         6" Clinch Cutter           FH10         043127101878         10 oz. Race Track Driving Hammer           FH14         043127066955         14 oz. Farrier Driving Hammer           FN15         043127101731         15" Farrier Nippers           HC12         043127101830         12" Clincher           HR14N         037103219510         14" Horse Rasp/File  | 1        |
| 271L         043127102103 8" Narrow Hoof Knife, Left Hand           280L         043127102127 8" Wide Hoof Knife, Left Hand           271R         043127102103 8" Narrow Hoof Knife, Left Hand           271R         043127102042 6" Clinch Cutter           FH10         043127101878 10 oz. Race Track Driving Hammer           FH14         043127066955 14 oz. Farrier Driving Hammer           FN15         043127101731 15" Farrier Nippers           HC12         043127101830 12" Clincher           HR14N         037103219510 14" Horse Rasp/File  |          |
| 280L         043127102127 8" Wide Hoof Knife, Left Hand           271R         043127102103 8" Narrow Hoof Knife, Right Hand           C7         043127102042 6" Clinch Cutter           FH10         043127101878 10 oz. Race Track Driving Hammer           FH14         043127066955 14 oz. Farrier Driving Hammer           FN15         043127101731 15" Farrier Nippers           HC12         043127101830 12" Clincher           HR14N         037103219510 14" Horse Rasp/File   | 2        |
| 271R         043127102103 8" Narrow Hoof Knife, Right Hand           C7         043127102042 6" Clinch Cutter           FH10         043127101878 10 oz. Race Track Driving Hammer           FH14         043127066955 14 oz. Farrier Driving Hammer           FN15         043127101731 15" Farrier Nippers           HC12         043127101830 12" Clincher           HR14N         037103219510 14" Horse Rasp/File   | 1        |
| C7         043127102042 6" Clinch Cutter           FH10         043127101878 10 oz. Race Track Driving Hammer           FH14         043127066955 14 oz. Farrier Driving Hammer           FN15         043127101731 15" Farrier Nippers           HC12         043127101830 12" Clincher           HR14N         037103219510 14" Horse Rasp/File  | 1        |
| FH10         043127101878         10 oz. Race Track Driving Hammer           FH14         043127066955         14 oz. Farrier Driving Hammer           FN15         043127101731         15" Farrier Nippers           HC12         043127101830         12" Clincher           HR14N         037103219510         14" Horse Rasp/File   | 1        |
| FH14         043127066955         14 oz. Farrier Driving Hammer           FN15         043127101731         15" Farrier Nippers           HC12         043127101830         12" Clincher           HR14N         037103219510         14" Horse Rasp/File  | 1        |
| FN15         043127101731         15" Farrier Nippers           HC12         043127101830         12" Clincher           HR14N         037103219510         14" Horse Rasp/File  | 1        |
| HC12         043127101830         12" Clincher           HR14N         037103219510         14" Horse Rasp/File  | 1        |
| HR14N 037103219510 14" Horse Rasp/File   | 1        |
| p,   | 1        |
|  | 1        |
| N10 043127101755 10" Nail Cutting Nippers  | 1        |
| NP12 043127101816 12" Crease Nail Puller   | 1        |
| SP12D 043127066993 12" Combination Shoe Puller/Spreader  | 1        |
| DF3B 037103178749 Display Board Only   | 1        |



## **Competitive Advantage**

Diamond' Farrier products have the competitive advantage in value, quality and availability

- Complete selection of shoes and tools for the farrier trade
- Diamond<sup>®</sup> horseshoes are reworkable, whether cold or reheated
- Available through distributors of heavy hardware plus ranch and veterinary supply houses

## Safety

Farrier tools should be used only for their designed purposes and within their size ranges. The following cautions should always be observed:

- 1. Always wear approved eye protection.
- 2. Never use nippers, pullers or pliers as hammers or hammer on their handles.
- 3. Do not extend nipper, puller or plier handle lengths to achieve greater leverage. Use a larger tool.
- When using a hammer, strike squarely – avoid glancing blows that may cause the edge of the face to slip, possibly resulting in eye or other serious injury.
   Never strike with or against

the side or cheek of any hammer.

- Do not use special purpose hammers for anything but the purposes for which they were intended.
- 6. Never use a hammer with a loose or damaged handle.

7. Do not misuse tools. Nail Cutting Nipper can chip if used <u>beyond</u> cutting nails - DO NOT PULL OR APPLY EXCESSIVE TORQUE WHILE CUTTING NAILS.

#### Royal Kerckhaert Horseshoe Factory World Headquarters Rapenburg 76, 4581AE Vogelwaarde

The Netherlands

 Tel.:
 +31 (0) 114 67 13 61

 Fax:
 +31 (0) 114 67 18 11

 Email:
 post@kerckhaert.com

 Web:
 www.kerckhaert.com

#### Farrier Products Distribution

US & Canada P.O. Box 1328 361 Haven Hill Road Shelbyville, KY 40066

 Tel.:
 (502) 633-5767

 Fax:
 (502) 633-5863

 Email:
 fpd@farrierproducts.com

 Web:
 www.farrierproducts.com



www.diamondfarrier.com





Rapenburg 76, 4581AE Vogelwaarde The Netherlands www.kerckhaert.com